

Hybrid Rice : Winner 05



Salient Features

- Early maturing hybrid (80-85 days after transplantation)
- Medium plant height
- Strong stem & lodging resistance
- More tillers per plant & more yield
- Good heat & disease tolerant
- Early ripening to catch next crop timely

Crop Agronomy

Pack Size:	5 Kg
Sowing Period :	Lower Sindh: 1 st June to 25 th June, Upper Sindh: 10 th June to 30 th June
Days to transplanting after sowing	25-30 days
Seed Rate Per Acre:	5 Kg
Sowing distance between rows/ridges:	8 inches
Sowing distance between plants:	8 inches
Sowing Depth:	1-2 cm in nursery sowing

Production Technology

Sowing Method	Sow the nursery on plain & fertile soil with good drainage @ 1 Kg seed/Marla. Sow the nursery in morning/evening. Irrigate the nursery early in the morning & drain out the water in evening. Continue this practice for a week.
Fertilizer	Land Preparation: 1 Bag DAP + 1 Bag Potash + 4 Kg Protector + 8 Kg Refree After 10-15 days of transplantation : 2 Kg select by broadcasting After 25-30 days of transplantation : 1 Bag Urea At Panicle emergence : 10 Kg Floris along with irrigation After 55-60 days of transplantation : 1 Bag Urea
Irrigation	Keep water depth of 2 inches at the time of transplantation. Water level should not exceed than 3 inches at any time. Maintain field in watar condition at the time of panicle emergence & grain formation. Stop irrigation two weeks before harvesting. Field should not be in water scarcity at the time of pollination
Disease & Pest Management	Keep proactive measures regarding to diseases & insects controlling measures at their respective ETL level